4. F 1			Docket Number (Optional) Application Number 850865.90015 10/620,520			_			
INFORMATION DISCLOSURE CITATION				Applicant(s)					
YUse several clinets if necessary)				BEAUDOIN, A.L. et al. Filing Date Group Art Unit					
	{	153 1 8 2014 S			July 16, 2003				
		\$		U.S. PAT	ENT DOCUMENTS				
*EXAMINER INITIAL	REF	NUMBER NUMBER	DATE		NAME	CLASS	SUBCLASS		DATE OPRIATE
TM	1.	U.S. 6,312,662 B1	11/06/2001	Erion et	al.				
									<u> </u>
	· 								
	_		_						· · · · · · · · · · · · · · · · · · ·
									. <u> </u>
									
				FOREIGN	PATENT DOCUMENTS	·			
	REF	DOCUMENT NUMBER	DATE		COUNTRY	CLASS SUBCLASS Translati			
				· · · · · · · · · · · · · · · · · · ·				1123	NO
						<u> </u>			
			<u></u>	OTHER D	OCUMENTS (Including Au	uthor, Title, D	ate, Pertinent Pa	ges, Etc.)	
TM		Burnstock, G., Campbe intrisic inhibitory nerve	ell, G., Bennett, M. es which are distin	, and Holm ct from syr	nan, M.E. Innervation of th npathic nerves? Int. J. Neu	e Guinea-Pi ropharmaco	g Taenia Coli: l 3: 163-166, 1	are there 964.	
ТМ		Burnstock, G. Evolution Rev. 21 (4): 247-324, 19	Burnstock, G. Evolution of the autonomic innervation of visceral and cardiovascular systems in vertebrates. Pharmacol. Rev. 21 (4): 247-324, 1969.					col.	
EXAMINER	₹	/Traviss Mcintosh	III/ (05/27	/2006)	DATE CONSIDERED 05/	/27/2006			
EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP Section 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.									

Form PTO-A820 (also form PTO-1449)

P09A/REV04

Patent and Trademark Office * U.S. DEPARTMENT OF COMMERCE

10 mg/m 3			Docket Number (Optional) 850865,90015	Application Number 10/620,520	
IN:	FORM	ATTENDISCLOSURE CITATION	Applicant(s)		
		(Isoseveral sheets if Ricessary)	BEAUDOIN, A.L. et al.	Group Art Unit	
		FEB 1 8 2004 E	July 16, 2003	Group Art Omi	
*EXAMINER INITIAL		OTHER DOR MENTS (Including Author Titl	tle, Date, Pertinent Pages, Etc.)		
TM	4.	Su, C., Bevan, J.A. and Burnstock, G. [3H] adenosis 173(994): 336-338, 1971.	ne triphosphate: release during stimu	lation of enteric nerves. Science	
	5.	Langer, S.Z., and Pinto, J.E.B. Possible involvement on nerves stimulation of the cat nictitating membran 697-713, 1976.	it of a transmitter different from nore ne after pretreatment with reserpine.	pinephrine in the residual responses J. Pharmacol. Exp. Ther. 196(3):	
	6.	Burnstock. G. Purinergic receptor. J. Theor. Biol. 6	i2 (2): 491-503, 1976.		
	7.	Von Kugelsen, I., and Starke, K. Noradrenaline-AT Pharmacol. Sci. 12(9): 319-324, 1991.	'P co-transmision in the sympathetic n	iervous system. Trends	
Westfall, D.P., Sedaa, K.O., Shinozuka, K., Bjur, R 300-310, 1990.			R.A., and Buxton, I.L.O. ATP as a Cotransmitter Ann. NY Acad. Sci. 603:		
Burnstock, G. Neural nomenclature. Nature 229(5282): 282-283, 1971.					
Burnstock, G. A basis for distinguishing two types of purhormones: A multidisciplinary approach. (Eds. R.W. Stra			of purinergic receptors. In: Cell member. Straub and L. Bolis), Raven press, I	orane receptors for drugs and New York. Pp. 107-118, 1978.	
	11.	Fredholm, B.B., Abbracchio, M.P., Burnstock. G., D. Nomenclature and classification of purinoceptors. Pl	Daly, J.W., Harden, T.K., Jacobson, K 'harmacol. Rev. 46(2): 143-156, 1994.	S.A., Leff, P., and Williams, M.	
	12.	Gendron et al. ATP diphosphohydrolase inhibitors: Ecto-ATPases and Related Ectonucleotidases (June	novel perspectives. Poster Abstract, 1999).	p. 327 from conference	
Juul, B., Plesner, L., and Aalkjaer, C. Effects of ATP and related nucleotides on the tone of isolated rat mesenter arteries. J. Pharmacol. Exp. Therap. 264: 1234-1240, 1993.				of isolated rat mesenteric resistance	
	14.	Motte, S., Communi, D., Pirotton, S, Boeynaems, J.M. Involvement of multiple receptors in the actions of extracellular ATP: the examples of vascular endothelial cells. Int. J. Biochem. Cell Biol. 27: 1-7, 1995.			
TM Rongen, G.A., Floras, J.S., Lender, J.W.M., Thien, 13-24, 1997.			T., and Smits, P. Cardiovascular phar	rmacology of purines. Clin. Sci. 92:	
EXAMINER /T:	ravis	ss Mcintosh III/ (05/27/2006)	DATE CONSIDERED 05/27/20	006	
		citation considered, whether or not citation is in conforman ecopy of this form with next communication to applicant.	nce with MPEP Section 609; Draw line thr	rough citation if not in conformance and	

٠,

,				Docket Number (Optional)	Application Number	
INFORMATION DISCLOSURE CURRENTS				850865.90015 Applicant(s)	10/620,520	
INFORMATION DISCLOSURE CLYAPION (Use several sheets if necessary)				BEAUDOIN, A.L. et al.		
73.) 613. 6			S	Filing Date	Group Art Unit	
			FFR 1 8 2004	July 16, 2003		
*EXAMINER INITIAL		OTHER DOCUMENT		e, Date, Pertinent Pages, Etc.)		
TM	16.	Dubyak, G.R., and El-Moatassim, en Signal transduction via P2-purinergic receptors for extracellular ATP and other nucleotides. Am. J. Physiol. 265: C577-C606, 1993.				
	17.	Johnson, C.R., and Hourah 113(4): 1191-1196, 1994.	ni, S.M.O. Contractile eff	ects of uridine 5'-triphosphate in the	rat duodenum. Br. J. Pharmacol.	
!	Pennanen, M.F., Bass, B.L., Dziki, A.J., and Harmon, J.W. Adenosine differential effect on blood flow to subregions of upper gastrointestinal tract. J. Surg. Res. 56(5): 461-465, 1994.					
Strohmeier, G.R., Reppert, S.M., Lencer, W.I., and Madana, J.L. The A2b adenosine receptor mediated cAMI to adenosine receptor agonists in human intestinal ehithelia. J. Biol. Chem. 270(5): 2387-2394, 1995.						
	Hancock, D.L., and Coupar, I.M. Functional characterization of the adenosine receptor mediating inhibition of perist in the rat jejunum. Br. J. Pharmacol 115(5): 739-744, 1995.					
	21.	Sarna, S.K. Gastrointestinal longitudinal muscle contractions. Am. J. Physiol. 265(1pt1): G156-G164, 1993.				
	22.	Baricordi, O.R., Ferrari, D., Melchiorri, L., Chiozzi. P., Hanau, S., Chiari, E., Rubini, M., and Di Virgilio, F. An ATP-activated channel is involved in mitogenic stimulation of human T lymphocytes. Blood 87(2): 682-690, 1996.				
	23.	Di Virgilio, F. The P2Z purinoceptor: an intriguing role in immunity, inflammation and cell death. Immunol. Today 16(11): 524-528, 1995.				
	Ventura, M.A., and Thomopoulos, P. ADP and ATP activate distinct signaling pathways in human promonocytic U-93 differetiated with 1,25-dihydroxy-vitamin D3. Mol. Pharmacol 47: 104-114, 1995.					
	25			acellular Ca2+ by adenine nucleotid tors. Biochem. J. 304:769-774, 1994.	es in human T-leukaemia cells:	
$\overline{}$	26.	Apasov, S., Koshiba. M., Ro receptors in T-cell developm	edegeld, F., and Sitokovs ment and cytotoxic T lym	ky, M.V. Role of extracellular ATP a phocyte effector functions. Immunol.	nd P1 and P2 classes of purinergic Rev. 146: 5-19, 1995.	
TM Hedge, S.S., Mandel, D.A., Wilford, M.R., Briaud, S., Ford, A.P.D.W., and Eglen, R.M. Evidence for purin neutransmission in the urinary bladder of pithed rats. Eur. J. Pharmacol. 349(1): 75-82, 1998.					Evidence for purinergic 1998.	
EXAMINER /:	ravi	ss Mcintosh III/	(05/27/2006)	DATE CONSIDERED 05/27/200	6	
		citation considered, whether or copy of this form with next com		nce with MPEP Section 609; Draw line th	rough citation if not in conformance and	

• :

ه مرز			Docket Number (Optional) 850865.90015	Application Number 10/620,520	
_	ORM	ATION DISCLOSURE CLARION	Applicant(s)		
(Use several sheets if necessary)			BEAUDOIN, A.L. et al. Filing Date Group Art Unit		
		TTD 1 9 200% 55	July 16, 2003	Group Art Cuit	
*EXAMINER INITIAL		OTHER DOCUMENTS (Including Author, Title	e, Date, Pertinent Pages, Etc.)		
TM	28.	Dunwiddie, T.V., Abbraction, Bischofberger, E., Jacobson, K.A., Latini, S., Lin, R.C.S., North, R. Surprenant, A., and Cattabeni, F. Purinoceptors in	.A., Pazzagli, M., Pedata, F., Pepeu, G	S.C., Proctor, W.R., Rassendren, F.,	
TM	29.	Burnstock, G., and Wood, J.N. Purinergic receptors: Their role in nociception and primary afferent neurotansmission. Curr. Opinion in Neurobiol. 6(4): 526-532, 1996.			
TM	30.	Von Kugelgen, I. Purinoceptors modulating the release of noradrenaline. J. Autonomic. Pharmacol. 14(1): 11-12, 1994.			
TM	31.	Beaudoin, A.R., Sévigny, J., and Picher, M. ATP diphosphohydrolases, apyrases and nucleotide phosphohydrolases: blochemical properties and functions. In: Biomembrane, vol. 5; Lee, A.G., Ed.; Greenwich, CT: JAI, pp. 369-401, 1996.			
		P. 1072 Sigma-Aidrich catalogue Bioactive Peptide	s .		
No Date	32.				
TM	33.	Beaudoin, A.R., Grondin, G., Enjyoji, K., Robson, S NTPDases (ATPdiphosphohydrolases) in mammals. related nucleotidases. Diepenbeek, Belgium, 14-18 J The Netherlands; pp. 125-135, 2000.	Proceeding of the 2nd International V	Workshop on ecto-ATPase and	
TM	34.	Plesner, L. Ecto-ATPases: identities and functions.	int. Rev. Cytol. 158: 141-214, 1995.		
TM	35.	Vlajkovic, S.M., Thorne, P.R., Hously, G.D., Munos signalling in the cochlear endolymphatic compartme	z, D.J.B., and Kendrick, I.S. Ecto-nuc int. Neuroreport 9: 1559-1565, 1998.	cleotidases terminate purinergic	
TM	36.	Zimmermann, H. 5'-Nucleotidase: molecular structure and functional aspects. Biochem. J. 285: 345-365, 1992.			
TM	37.	Laliberté, JF. and Beaudoin A.R. Sequential hydrodiphosphohydrolase from pig pancreas. Biochim. Bi	olysis of the gama- and beta-phosphato ophys Acta 742(1):9-15, 1983.	e groups of ATP by the ATP	
тм	38.	Côté, Y.P., Pavate C.T. and Beaudoin A.R. The cont (Apyrase). Curr. Top. Pharmacol. 1:83-92, 1992.	trol of nucleotides in blood vessels: Ro	ole of the ATP diphosphohydrolase	
TM	39.	Sévigny J., Levesque F.P., Grondin G. and Beaudoin A.R. Purification of the blood vessel ATP diphosphohydrolase, identification and localization by immunological techniques. Biochim. Biophys. Acta 1334: 73-88, 1997.			
EXAMINER /	Trav	iss Mcintosh III/ (05/27/2006)	DATE CONSIDERED 05/27/2006		
*EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP Section 609; Draw line through citation if not in conformance and					

not considered. Include copy of this form with next communication to applicant.

		1	Docket Number (Optional)	Application Number		
100 J			850865.90015	10/620,520		
INFORMATION DISCLOSURE CIPTON (Use several sheets if necession)			Applicant(s) BEAUDOIN, A.L. et al.			
			Filing Date	Group Art Unit		
		FEB 1 8 2004 [8]	July 16, 2003			
*EXAMINER INITIAL	<u> </u>	OTHER DOCUMENTS (Including Suther, Title	'e, Date, Pertinent Pages, Etc.)			
TM	40.	LeBel D., Poirier G.G., Phaneut, S., St-Jean P., Laliberté JF. and Beaudoin A.R. Characterization and purification of a calcium sensitive ATP diphosphohydrolase from the pig pancreas. J. Biol. Chem. 255: 1227-1233, 1980.				
	41.	Sévigny, J., Côté, Y.P. and Beaudoin, A.R. Purificat affinity labelling with 5'-p-fluorosulfonylbenzoylade	tion of pancreas type I ATP diphosphenosine ATP analog. Biochem J. 312:	ohydrolase and identification by 351-356, 1995.		
	42.	Christoforidis, S., Papamarcaki, T., Galaris, D., Kel ATP diphosphohydrolase. Eur. J. Biochem. 234: 66-	llner, R. and Tsolas, O. Purification at -74, 1995.	nd properties of human placental		
	43.	Kaczmarek, E., Koziack, K., Sévigny, J., Siegel, J.B. and characterization of CD39/vascular ATP diphosp	., Anrather, J., Beaudoin, A.R., Back, phohydrolase. J. Biol. Chem. 271: 331	F.H., Robson, S.C. Identification 16-33122, 1996.		
	Maliszewski, C.R., Delespesse, G.J.T., Schoenborn, M.A., Armitage, R.J., Fanslow, W.C., Nakajima, T., Baker, E., Sutherland, G.R., Poindexter, K., Birks, C., Alpert, A., Friend, D., Gimpel, S.D., Gayle III, R.B. The CD39 lymphoid ce activation antigen: Molecular cloning and structural characterization. J. Immunol. 153: 3574-3583, 1994.					
	45.	Wang, TF., Guidotti, G. CD39 is an ecto-(Ca2+, M	lg2+)-apyrase. J. Biol. Chem. 271: 989	98-9901, 1996.		
	46.	Barcellos, C.K., Schetinger M.R.C., Battastini A.M. acetate on synaptosomal ATP diphosphohydrolase (Biol. Res. 27(5): 1111-1115, 1994.	.O., Silva L.B., Dias R.D., Sarkis J.J.F (EC 3.6.1.5; apyrase) from adult rat co	F. Inhibitory effect of cadmium erebral cortex. Braz. J. Med and		
	47.	Côté, Y.P., Ouellet, S., and Beaudoin, A.R. Kinetic properties of type-II ATP diphosphohydrolase from the tunica media of the bovine aorta. Biochim. Biophys. Acta 1160(3): 246-250, 1992.				
	48.	Picher, M., Sévigny, J., D'Orléans-Juste, P., Beaudo ectonucleotidase from the bovine aorta, the ATP dip	oin A.R. Hydrolysis of P2-purinocepto phosphohydrolase. Biochem. Pharmac	or agonists by a purified ol. 51: 1453-1460, 1996.		
	Westfall, T.D., Kennedy, C., and Sneddon, P. The ecto-ATPase inhibitors ARL 67156 enhances parasympathetic neurotransmission in the guinea-pig urinary bladder. Eur. J. Pharmacol. 329(2-3): 169-173, 1997.					
	50.	Crack, B.E., Pollard., C.E., Beukers, M.W., Roberts Leff, P. Pharmacological and biochemical analysis o Pharmacol. 114(2): 475-481, 1995.	of FPL 67156, a novel, selective inhibit	tor of ecto-ATPase. Br. J.		
TM	51.	Chen, B.C., Lee, CM. and Lin WW. Inhibition of C-6 glioma cells and RAW 264.7 macrophages. Br.	fecto-ATPase by PPADS, suramin and J. Pharmacol. 119(8): 1628-1634, 1996	d reactive blue in endothelial cells, 6.		
EXAMINER /	Traviss Mcintosh III/ (05/27/2006) DATE CONSIDERED 05/27/2006					
		f citation considered, whether or not citation is in conformate copy of this form with next communication to applicant.	nce with MPEP Section 609; Draw line the	rough citation if not in conformance and		

. .

			Docket Number (Optional)	Application Number			
اننة	INFOR	RMATION DISCLOSURE THATION C	850865.90015 Applicant(s)	10/620,520			
	INTO	(Use several sheets if necessary)	BEAUDOIN, A.L. et al.				
		(FEB 1 8 2004 E	Filing Date July 16, 2003	Group Art Unit			
*EXAMIN		OTHER DOCUMEN (Including theor, To	itle, Date, Pertinent Pages, Etc.)				
T		Kennedy, C., Westfall, T.D., and Sneddon, P. Mod 8(4): 195-199, 1996.		ion by ecto-ATPase. Sem. Neurosci.			
	53	2-thioether5'-O-(1-thiotriphosphate) adenosine de	Fischer, B., Chulkin, A., Boyer, J.L., Harden, K.T., Gendron, FP., Beaudoin, A.R., Chapal, J., Hillaire-Buys, D., Petit, P. 2-thioether5'-O-(1-thiotriphosphate) adenosine derivatives as new insulin secretagogues acting through P2Y-receptors. J. Med. Chem. 42: 3636-3646, 1999.				
	54	Bültmann, R., Wittenburg, H., Pause, B., Kurz, G., Nickel, P., and Starke, K. P2-purinoceptors antagonists; III. Blockade of P2-purinoceptor subtypes and ecto-nucleotidases by compounds related to suramin. Naunyn-Schmiedeberg's Arch. Pharmacol. 354: 498-504, 1996.					
	55.	Tuluc, F., Bültmann, R., Glänzel, M., Wilhelm Frahm, A., and Starke, K. P2-receptor antagonists: IV. Blockade of P2 receptor subtypes and ecto-nucleotidases by compounds related to reactive blue 2. Naunyn-Schmiedeberg's Arch. Parmacol. 357: 111-120, 1998.					
	56.	Bültmann, R., and Starke, K. Reactive red 2: a P2 Naunyn-Schmiedeberg's Arch. Pharmacol. 352: 47		nd an inhibitor of ecto-nucleotidase.			
	57.	Wittenburg, H., Bültmann, R., Pause, B., Ganter, P2-purinoceptor subtypes and ecto-nucleotidases b Naunyn-Schmiedeberg's Arch. Pharmacol. 354: 49	y compounds related to Evans Blue a	oceptor antagonists: II. Blockade of nd trypan blue.			
	58.	Bültmann, R., Pause, B., Wittenburg, H., Kurz, G., and Starke, K. P2-purinoceptor antagonists: I. Blockade of P2-purinoceptor subtypes and ecto-nucleotidases by small aromatic isothiocyanato-sulphonates. Naunyn-Schmiedeberg's Arch. Pharmacol. 354: 481-490, 1996.					
	59.	9-amino-1,2,3,4-tetrahydroacridine (THA) on ATF	Bonan, C.D., Battastini, A.M.O., Schetinger, M.R.C., Moreira, C.M., Frassetto, S.S., Dias, R.D., and Sarkis, J.J.F. Effects of 9-amino-1,2,3,4-tetrahydroacridine (THA) on ATP diphosphohydrolase (EC 3.6.1.5) and 5'-nucleotidases (EC 3.1.3.5) from rat brain synaptosomes. Gen. Pharmac. 28(5): 761-766, 1997.				
	60.	Gendron, FP., Halbfinger E., Fischer B., Duval M., D'Orleans-Juste P. and Beaudoin, A.R. Novel inhibitors of nucleoside triphosphate disphosphodydrolases: Chemical Synthesis and Biochemical and Pharmalogical Characterizations. J. Med.Chem 43(11): 2239-2244, 2000.					
	61.	Fischer, B., Boyer, J.L., Hoyle, C.H.V., Ziganshin, T.K. and Jacobson, K.A. Identification of potent, s 2-thioether derivatives of adenosine 5'-triphosphat	elective P2Y-purinoceptor agonists: s	tructure-activity relationships for			
	62.	Baykov A.A., Evtushenko O.A. and Avaeve S.M. A alkaline phosphatase-based enzyme immunoassay.	malachite green procedure for ortho Anal Biochem. 171: 266-270, 1988.	phosphate determination and its use in			
TM	63.	Bradord M.M. A rapid and sensitive method for the of protein-dye binding. Anal. Biochem. 72: 248-254	ne quantification of microgram quant 4, 1976.	ities of protein utilising the principle			
EXAMINE	R /Tra	aviss Mcintosh III/ (05/27/2006)	DATE CONSIDERED 05/27/200	6			
FXAMINI	ER: Initis	al if citation considered, whether or not citation is in conform	ance with MPEP Section 609: Draw line t	brough citation if not in conformance and			

not considered. Include copy of this form with next communication to applicant.

,			Docket Number (Optional)	Application Number	
INFORMATION DISCLOSURE CITATION			850865.90015 Applicant(s)	10/620,520	
_	0-2-	(Use several sheets if necessary)	BEAUDOIN, A.L. et al.		
		2000	Filing Date July 16, 2003	Group Art Unit	
*EXAMINER INITIAL		OTHER DOCUMENTS (Including Author, Title	le, Date, Pertinent Pages, Etc.)		
TM	64.	Berthiaume, N., Claing, A., Restite DR. Farner, T.D. neurokinins in the arterial and venous mesenteric va	., D'Orléans-Juste, P. Characterization asculatures of the guinea-pig. Br. J. P	on of receptors for kinins and harmacol. 115: 1319-1325, 1995.	
	65.	Halbfinger, E., Major, D.T., Ritzmann, M., Ubl, J., of modified adenine nucleotides by the P2Y1-recepted 42: 5325-5337, 1999.	Reiser, G., Boyer, J.L., Harden, K.T., or. Part I. A synthetic, biochemical, a	, Fischer, B. Molecular recognition nd NMR approach. J. Med. Chem.	
	66.	Major, D.T., Halbfinger, E. and Fischer, B. Molecul A computational approach. J. Med. Chem 42: 5338-	ar recognition of modified adenine nu 5347, 1999.	icleotides by the P2Y1-receptor. II.	
	67.	Van Rhee, A.M., Fischer, B., Van Galen, P.J.M., Jac template. Drug Design and Discovery 13: 133-154, 19	obson, K.A. Modelling the P2Y puring 995.	10ceptor using rhodopsin as	
	68.	Hirst, G.D.S., Jobling, P. The distribution of gamma the guinea-pig. Br. J. Pharmacol. 96: 993-999, 1989.	-adrenoceptors and P2 purinoceptors	in mesenteric arteries and veins of	
	69.	Onaka, U., Fujii, K., Abe, I., Fujishima, M. Enhance neurotransmission via angiotensin type 1 receptor in 942-948, 1997.	ment by exogenous and locally generate the guinea-pig isolated mesenteric ar	ated angiotensin II of purinergic rtery. Br. J. Pharmacol. 122:	
V	70.	Fujii, K. Evidence for adenosine triphosphate as an e J. Physiol. 404: 39-52, 1988.	excitatory transmitter in guinea-pig, t	rabbit and pig urinary bladder.	
TM Ishikawa, S. Actions of ATP and alpha, beta-methy of the rabbit and guinea-pig mesenteric arteries. Bu		Ishikawa, S. Actions of ATP and alpha, beta-methyle of the rabbit and guinea-pig mesenteric arteries. Br.	ene ATP on neuromuscular transmiss J. Pharmacol. 86: 777-787, 1985.	ion and smooth muscle membrane	
				·	
EXAMINER /	Trav.	iss Mcintosh III/ (05/27/2006)	DATE CONSIDERED 05/27/2006		
		citation considered, whether or not citation is in conformance copy of this form with next communication to applicant.	ce with MPEP Section 609; Draw line thr	ough citation if not in conformance and	

, 6